
LittleFolks

- FURNITURE-



Classic Hi Sleeper Bed

Code: HSP003

PLEASE READ CAREFULLY & KEEP FOR FUTURE REFERENCE

Treated properly it should be a faithful servant for years - and we hope you get the same amount of pleasure from it. Before you do

- please take a few minutes to read these instructions
- we suggest you carefully unpack everything, lay it out on a clean, flat floor and identify everything on the parts list in these instructions. Do not throw away any packaging until you are sure you have all the parts.

If you have any problems assembling the product please call our customer services on 01985 300588 and we will try and help. If for any reason you wish to return the product, you must disassemble the product and pack in the original packaging.

Taking care of your product

Your furniture should require no more than a regular dust off with a soft cloth. If the furniture is not painted then a superior wood polish can be used - but never use polishes containing silicone.

If necessary it can be cleaned with a damp cloth with a mild detergent solution - and then dried with a lint-free cloth. Never clean with abrasives or chemical cleaners.

Direct sunlight or heat from a radiator can stain, discolour warp or crack furniture.

We know furniture can be heavy but try not to drag furniture across the floor as this can damage it.

PRODUCT SAFETY

This product is designed to conform to BSEN747

The MAXIMUM thickness of the UPPER BUNK mattress is 20cm.

The recommended size of the mattress is 190cm x 90cm (6'3" x 3'0)

Periodically check that all assembly fixings are tightened properly, care should be taken to ensure that no fittings are loose.

The furniture must be set up on an even and stable surface.

Keep away from direct sources of heat, such as electric, gas or coal fires.

Do not allow children to climb on the furniture. Using this furniture other than for its intended purpose could cause damage to the structure or serious injury to your child.


The Bunk should not be used if any structural part is broken or missing.

The upper Bunk is not suitable for children under six years old due to the risk of falls. Do not attach items such as ropes, strings, cords, harnesses or belts etc to avoid the risk of strangulation.


WARNING: Children can become trapped between the bed and the wall. To avoid the risk of serious injury the distance between the top safety barrier and the wall must not exceed 75mm or be more than 230mm.

This bed is designed to be fitted to a solid structure, e.g. a wall. This work should only be carried out by a competent person or a professional.

If you have any problems please do contact us for help on e mail customerservices@littlefolksfurniture.co.uk or phone our CUSTOMER SERVICES 01985 300588



Fittings



Making the upper bed frame. (Two People)

44 x 35mm wooden dowels / 16 x 100mm bolts / 16 x barrel nuts.


Make end frames

Fit the two middle end rails and four top / bottom end rails with the small wooden dowels (28) blind holes only (not the holes that have a side hole next to it) Carefully position the four small legs using the numbers on the base of each leg to orientate. Now make each bed end, left and right, carefully positioning the middle end rails (without barrel nut holes) in the center. Align the 100mm bolts through the bed legs positioning the barrel nuts inside the holes within the cross rails, rotate to tighten.

Make the bed

Fit the four mattress rails with end dowels (16) into the blind holes.


Carefully orientate the mattress rails and safety rails as shown. Align the 100mm bolts through the bed legs positioning the barrel nuts inside the holes within the rails, rotate to tighten.



Fit the mattres base (Two People)

34 wood screws

Gently roll out the mattress base (webbing side down) and lift it onto the mattress rails supports (wooden pieces fitted to the inside of the mattress rails). Spread the bed slats out to each end of the bed. Now screw each bed slat down using a screw in each end, making sure the the end slats are tight to the bed legs at each end, and that the bed remains parallel. (push gently inwards at the centre of both mattress rails to maintain a uniform width)




Making the lower bed frame. (Two People)

 $8\,\mathrm{x}$ Large wooden dowels /12 small wooden dowels, $6\,\mathrm{x}$ 100mm bolts, $6\,\mathrm{x}$ barrel nuts

Fit the two cross rails and rear long rail with the small dowels (blind holes only). Carefully identify the large legs by using the letters on the base of the part. Now make up each frame end, aligning the legs (AB = left end/ CD = right end) insert the 100mm bolts connecting through the barrel nuts and rotate to tighten. Now connect the rear rail using the same principles.


Fit 8 x large wooden dowels into the top of the long leags, two per leg (tap them down)



Making the Hi bed frame. (Two People)

8 x wood screws

Carefully lift the upper bed onto the lower frame, aligning the projecting wooden dowels into the holes on the base of small bed legs. Once firmly pressed down secure the joint by screwing them together, 2 screws per leg.




Make the ladder

8 x screw bolts, 16 x small wooden dowels

Fit the ladder treads (4) with the wooden dowels (4 per tread) using the outer holes.

lay one ladder string down with the inside facing upwards (side with more holes = inner face) and push the four treads into the matching holes. Once firmlly pressed down, align and press fit the opposite ladder string. Now secure each tread using the screw bolts, 2 per string.




Fit the ladder (two people)

3 x 75mm bolts, 3 x sleeve nuts, 1 x screw bolt

 2×60 mm bolts + 2 barrel nuts, 2×100 m bolts + 2 barrel nuts, 8×8 mall wooden dowels. At this point in the assembly you will need to decide which side the ladder is fitted, left or right side of the bed.

Ladder left (Mirror assembly for right hand ladder)

Gently place the ladder up to the left side of the bed, with the ladder cut outs fitting over the front mattress rail. Loosely connect the $3\times75\text{mm}$ bolts through the out side of the left bed leg assembly and into the left ladder leg, pushing in the 3 sleeve nuts into the matching holes seen in the left hand ladder leg. Rotate to connect but do not tighten. Now fit the 2×100 shorter front safety rails with the wooden dowels (blind holes only) and align and press fit into both the right hand bed legs and right hand ladder string (some light flexing of the ladder string might be required here). Once together fit $2\times60\text{mm}$ bolts through the ladder string and $2\times100\text{mm}$ bolts through the bed legs into the safety rails, connect to barrel nuts and rotate to tighten. Not tighten the left hand ladder assembly. Finally secure the ladder using the screw bolt from the inside of the bed into the right hand ladder string.




Fit the leg stabilzer

2 x 35mm bolts


This "leg stabilizer" is designed to be fitted to the inside of bed between the upper and lower bed frames and on the opposite side to that of the ladder (see image)

Push the part into position and secure using the two bolts.



Connect the bed to a solid structure / wall

The bed is designed to be connected to a solid structure for extra stability. Lift the bed into it's final position. Using the two holes pre-drilled in the rear bed legs mark out the drilling positions on the wall. Lift the bed away from the wall and make the holes, making sure that you are using the correct wall fixings. Now re-align the bed, make good



No Fixings are provided as these will need to suit the wall type, and the length of the fixing will depend on the wall material and any packers used to "bridge" the gap between the bed and wall (skirting board). The two through leg holes should be adequate however further anchor points may be required and this will depend on the bed position and wall (fixing structure) make up.

This work should only be carried out by a compentent person or a professional.

Final check


Please position any storage furniture neatly under the upper bed as not to create ledges or foot holds that might be used for access to the bed. Any furniture that is not used under the bed should be individually fastened using the wall straps provided as to prevent toppling (see their instruction leaflet). Carefull observation of safety gaps around your bed and furniture should be maintained.

Do not attach items such as ropes, strings, cords, harnesses or belts etc to avoid the risk of strangulation.

WARNING: Children can become trapped between the bed and wall, a roof pitch, the ceiling, adjoining pieces of furniture (e.g. cupboards) and the like. To avoid risk of serious injury the distance between the top safety barrier and the adjoining structure shall not exceed 75mm or shall be more than 230mm.

LittleFolks

- FURNITURE-



Classic Single Bed

Code: SBD006

PLEASE READ CAREFULLY & KEEP FOR FUTURE REFERENCE

Treated properly it should be a faithful servant for years - and we hope you get the same amount of pleasure from it. Before you do

- please take a few minutes to read these instructions
- we suggest you carefully unpack everything, lay it out on a clean, flat floor and identify everything on the parts list in these instructions. Do not throw away any packaging until you are sure you have all the parts.

If you have any problems assembling the product please call our customer services on 01985 300588 and we will try and help. If for any reason you wish to return the product, you must disassemble the product and pack in the original packaging.

Taking care of your product

Your furniture should require no more than a regular dust off with a soft cloth. If the furniture is not painted then a superior wood polish can be used - but never use polishes containing silicone.

If necessary it can be cleaned with a damp cloth with a mild detergent solution - and then dried with a lint-free cloth. Never clean with abrasives or chemical cleaners.

Direct sunlight or heat from a radiator can stain, discolour warp or crack furniture. We know furniture can be heavy but try not to drag furniture across the floor as this can damage it.

PRODUCT SAFETY

The recommended size of the mattress is 191cm x 90cm (6'3" x 3'0) Periodically check all fittings to ensure that none have come loose.

Keep away from direct sources of heat, such as electric, gas or coal fires.

Do not allow children to Climb on the furniture.

Using this furniture other than for its intended purpose could cause damage to the structure or servious injury to your child.

The Bed should not be used if any structural part is broken or missing.

If you can manage it, please try to persuade your children not to bounce on the bed.


Warning: The child's bed should not be placed too close to other furniture or windows, blind cords, curtain pulls or other strings or cords, and should be placed either tight to any wall or have a gap of 300mm between the wall and the side of the bed.

If you have any problems please do contact us for help on email customerservices@littlefolksfurniture.co.uk or phone our CUSTOMER SERVICES 01985 300588


Parts



2 x mattress rails







1 x low footboard

Fittings

шшшшшш 4 x 9cm Bolts

4 x Barrel Nuts

8 x small Dowels

34 x Screws 3.5cm

1 x Allen Key

Tools Req

Screwdriver

Fitting the rails

8 x small wooden dowels


Insert 2 wooden dowels into each end of each rail



Building the bed frame (Two people)

4 x 9cm bolts and 4 x barrel nuts


Build the bed with the parts positioned as shown, Locate the wooden dowels into the holes in the two bed frames. Insert a barrel nut into the hole at each end of the mattress rails, aaligning it to connect to a long bolt fitted from the outside of the bed frames, rotate the bolts to tighten the bed frames.




Fix the mattress bases

34 x wood screws

Gently lay the mattress base out onto the support rails fitted to the inside of the bed. Stretch the base out so that the end slats are tight to the bed end frames. Now screw down every mattress slat making sure the bed remains parallel (some light pressure might be needed to push the siderail inwards at the middle of the rail)



Locate the bed into it's final position and fit the mattress onto the bed.



Please take a few minutes to look over the bed to ensure that the fittings are securely fastened and the product is stable.